

1.	Identificatio	Identification of the Substance/Preparation & Company						
	Name: Heavy Fog Fluid B2							
	Synonyms:	Heavy Fog B2						
	Supplied by:	Martin Manufact	uring (UK) Plc.	Tel: +44 (0) 1790 754050				
		Vale Road Indus	trial Estate	Fax: +44 (0) 1790 754051				
		Boston Road Spilsby	Boston Road					
		Lincolnshire PE2	23 5HE					
2. Composition/Information on Ingredients								
	Contains food grade glycols, and de-mineralised water.							
	Contains no substances in Part 1 of the Approved Supply List, or with a maximum exposure limit (MEL) specified in Schedule 1 of COSHH.							
	Contains monopropylene glycol, for which an occupational exposure standard has been set							
3.	Hazardous Information:							
	No significant hazard to man or environment under normal conditions of handling and use.							
	Ingestion: low toxicity.							
	Eye/skin: low toxicity							
	Inhalation: low concentration of hazardous substances in vapour. Undiluted vapour should not							
		be inhaled. (Note: The concentration of smoke components in the final product is below the						
	OES under normal operating conditions)							
4.	First Aid Measures							
Expo	osure Route	Symptom	Treatment					
	Inhalation	Mild irritation of nose & throat	-	osure, rest and keep warm. In severe y is not rapid or complete, seek medical				
	Skin Contact	Mild irritation	contaminated cloth	th plenty of water. Remove ing and wash before re-use. If large e damaged or if irritation persists seek				
	Eye Contact	Mild irritation	Irrigate thoroughly Obtain medical atte	with water for at least 10 minutes.				
	Ingestion	Mild irritation of gastro-intestinal tract		ith water. Do not induce vomiting. If s, give water to drink. If patient feels al attention.				
5.	Fire Fighting Measures							
	Suitable Extinguishers			r all-purpose-type foam. Use carbon der for small fires only				
	Unsuitable Extinguishers			id stream of water or foam into hot his may cause frothing and increase the				
			intensity of a fife					

Revision No.: BDate:January 2005Replaces SDS No.:Date:



Special Equipment for fire Fighting

Self contained breathing apparatus

Revision No.: BDate:January 2005Replaces SDS No.:Date:

SDS No. 118

Date: January 2005



6.	Accidental Release Measures				
	Safety Precautions	Wear appropriate PPE when handling - see section 8			
	Environmental Precautions	Prevent entry into drains and water courses			
	Clean up Procedure	Bund or absorb material with sand, earth or other suitable absorbent material. If possible, transfer to a salvage tank, otherwise absorb residues and place in suitable labelled containers and hold for waste disposal - see section 13			
7.	Handling and Storage				
	Safe Handling	Avoid prolonged skin contact. Avoid contact with eyes. Ensure good general ventilation of area. Avoid creating spray. Do not breathe undiluted vapour			
	Storage	Store in original closed containers			
		Store at ambient temperature			
		Store away from materials listed in section 10			
8.	Exposure Controls and Personal Protection				
	Respiratory	Type approved RPE for organic vapours and mists, if required			
	Hand	PVC coated or rubber gloves			
	Eye	Goggles or face shield			
	Skin	Overalls and boots			
	Hygiene Measures	Always wash thoroughly after handling chemicals			
9.	Physical and Chemical Properties				
	Appearance:	Colourless Liquid			
	Odour:	Mild			
	pH	Neutral			
	Boiling Point/Range:	101.6 - 201.6 °C			
	Melting Point/Range:	<-20 °C			
	Flash Point:	>78 °C (test flame extinguished at 78 °C)			
	Flammability Limits:	2.9 - 18.1 v/v (estimated)			
	Vapour Pressure:	2.67 kPa at 20°C			
	Relative density:	1.050 at 20 °C/20 °C			
	Solubility in water:	Completely miscible			

Revision No.: BDate:January 2005Replaces SDS No.:Date:

SDS No. 118 Date: January 2005



10.	Stability and Reactivity				
	Stability		Stable in normal conditions		
	Known hazardous reactions Conditions to avoid		Possibility of explosive decomposition if combined with strong acids or bases at elevated temperatures Elevated temperatures		
	Materials to avoid		Strong acids and bases; strong oxidisers		
	Hazardous decomposition products		Oxides of carbon, including aldehydes		
11.	Toxicological Information				
	OES for monopropylene glycol set at 150 ppm (total vapour and particula tes) for 8-hour TWA, and 10 mg/m ³ (particulates) for 15-minute STEL.				
	LD ₅₀ for monopropylene glycol: 21000 - 33700 mg/kg oral - rat, >10000 mg/kg skin - rabbit.				
	May cause slight irritation to skin, eyes and mucous membranes. Large doses may produce adverse effects on liver, kidneys and central nervous system.				
	No evidence in developmental toxicity studies for either embryotoxic or teratogenic effects.				
12.	Ecological Information				
	Mobility Liquid with low volatility, soluble in water, predicted to have high mobility in soil				
	Degradability	The preparation is largely biodegradable: BOD ₅ = $1.08 \text{ gO}_2/\text{g}$; ThOD = $1.68 \text{ gO}_2/\text{g}$; COD = $1.63 \text{ gO}_2/\text{g}$ BOD ₂₀ /ThOD = 86%			
	Accumulation	Low			
	Short and long- term effects	LC 50, fathead minnow = 4600 - 54900 mg/l EC 50, Daphnia magna = 4850 - 34400 mg/l			
	Other				
13.					
	Substance	8	Via an authorised waste disposal contractor to an approved waste disposal site, observing all local and national regulations		
	Container		As for substance. Used containers must not be cut up or punctured until completely purged of product residues		
14.	Transport Information				
	No special precautions for transport				

Revision No.: BDate:January 2005Replaces SDS No.:Date:



15. Regulatory Information

Supply label details Label Name

Symbol

Risk phrases

Safety phrases

In accordance with CHIP 2, Regulation 9. HEAVY FOG B2

No risk or safety phrases stipulated

E.E.C. Number

Use of this material may be governed by the following regulations:

COSHH, HSWA, MHSW

Users are advised to consult these regulations for further information. The information contained in this data sheet does not constitute an assessment of workplace risk as required by other health and safety legislation.

16. Other Information

No special training is required for handling this preparation other than normal precautions for safe handling of chemicals

This material is usually used for the production of synthetic smoke in an appropriate JEM smoke- machine. The concentration of smoke components is below the OES under normal operating conditions.

It must not be used for any other purpose, or in any other equipment

Further details may be available on request from the supplier, whose address and telephone number are given in section 1.

Sources of information:

Suppliers' Safety Data Sheets for substances used as raw materials in the preparation. EH 40/97

NFPA 325M

Legal Disclaimer:

The above information is based on the present state of our knowledge of the product at the time of publication. It is given in good faith, no warranty is implied with respect to the quality of the specification of the product. The user must satisfy himself that the product is entirely suitable for his purpose.

If you have purchased the product for supply to a third party, it is your duty to take all necessary steps to ensure that any person handling and using the product is provided with the information in this sheet. If you are an employer it is your duty to tell your employees and others who may be affected by any hazard described in this sheet and of any precautions that should be taken.

Revision No.: BDate:January 2005Replaces SDS No.:Date: